

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)**

<b>NAME:</b> XTO ENERGY, INC
<b>ADDRESS:</b> 52260 WIK RD KENAI, AK 99611
<b>FACILITY:</b> EAST FORELANDS
<b>LOCATION:</b> 60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

JUN 08 2009

**MONITORING PERIOD**

FROM	YEAR	MONTH	DAY
	2009	4	1
(20-21)	(22-23)	(24-25)	

TO	YEAR	MONTH	DAY
	2009	4	30
(26-27)	(28-29)	(30-31)	

DEC  
Division of Water Quality  
Wastewater Discharge Program

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (46-53)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum	Units	Minimum (38-45)	Average (46-53)	Maximum (54-61)	Units			
015 - Produced Water FLOW	Sample Measurement	0.1319402	0.145614	MGD	***	***	***	***	0	Weekly	Estimate
		***	***		***	***	***		***	Weekly	Estimate
	Permit Requirement	***	***		***	***	***		***	Weekly	Estimate
015 - Produced Water PRODUCED SAND	Sample Measurement	***	***	***	No discharge	No discharge	No discharge	***	0	***	***
		***	***		No discharge	No discharge	No discharge		***	***	***
	Permit Requirement	***	***		No discharge	No discharge	No discharge		***	***	***
015 - Produced Water OIL & GREASE	Sample Measurement	***	***	***	***	2.625	5.3	mg/l	0	Weekly	Grab
		***	***		***	29	42		***	Weekly	Grab
	Permit Requirement	***	***		***	29	42		***	Weekly	Grab
015 - Produced Water pH	Sample Measurement	***	***	***	7.53	***	7.94	SU	0	Weekly	Grab
		***	***		6	***	9		***	Weekly	Grab
	Permit Requirement	***	***		6	***	9		***	Weekly	Grab
015 - Produced Water TAH	Sample Measurement	***	***	***	***	15.11	15.11	mg/l	0	Monthly	Grab
		***	***		***	24	32		***	Monthly	Grab
	Permit Requirement	***	***		***	24	32		***	Monthly	Grab
015 - Produced Water TAqH	Sample Measurement	***	***	***	***	15.383	15.383	mg/l	0	Monthly	Grab
		***	***		***	Report	Report		***	Monthly	Grab
	Permit Requirement	***	***		***	Report	Report		***	Monthly	Grab
015 - Produced Water TOTAL AMMONIA	Sample Measurement	***	***	***	5.1	5.1	5.1	mg/l	0	Quarterly	Grab
		***	***		Report	***	Report		***	Quarterly	Grab
	Permit Requirement	***	***		Report	***	Report		***	Quarterly	Grab

NAME TITLE PRINCIPAL  
EXECUTIVE OFFICER

Ryan Tunseth  
HSE&T Coordinator

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature

Telephone

907 776-2510

Date (YR/MO/DAY)

5/13/2009

**COMMENTS & EXPLANATION OF ANY VIOLATIONS:** WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 1st Period 2009 WET tests were taken on 02/03/09 and are reported the Feb. 09 DMR. Additionally the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2009 sample results are shown.


**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)**

<b>NAME:</b> XTO ENERGY, INC
<b>ADDRESS:</b> 52260 WIK RD KENAI, AK 99611
<b>FACILITY:</b> EAST FORELANDS
<b>LOCATION:</b> 60° 31' 10" N; 151° 20' 31" W

(2-16) AKG 31 5003	(17-19) 015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

MONITORING PERIOD							
FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2009	4	1		2009	4	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum	Units (46-53)	Minimum (38-45)	Average (46-53)	Maximum (54-61)	Units			
015 - Produced Water COPPER	Sample Measurement	***	***	***	***	4.75	4.75	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	60	90	ug/l	***	Quarterly	Grab
015 - Produced Water MERCURY	Sample Measurement	***	***	***	***	N/D	N/D	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	0.5	0.8	ug/l	***	Quarterly	Grab
015 - Produced Water MANGANESE	Sample Measurement	***	***	***	***	1.07	1.07	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	7.9	15.8	mg/l	***	Quarterly	Grab
015 - Produced Water SILVER	Sample Measurement	***	***	***	***	2.17	2.17	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	46	149	ug/l	***	Quarterly	Grab
015 - Produced Water ZINC	Sample Measurement	***	***	***	***	0.0394	0.0394	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	3.1	6.1	mg/l	***	Quarterly	Grab
015 - Produced Water WET - <i>Mytilus galloprovincialis</i> (Invertebrate)	Sample Measurement	***	***	***	***	< 625	< 625	TUc	0	Semi Annual	Grab
	Permit Requirement	***	***	***	***	1209	2425	TUc	***	Semi Annual	Grab
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					 Signature		Telephone	Date (YR/MO/DAY)		
Ryan Tunseth HSE&T Coordinator								907 776-2510	5/13/2009		
<b>COMMENTS &amp; EXPLANATION OF ANY VIOLATIONS:</b> WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 1st Period 2009 WET tests were taken on 02/03/09 and are reported the Feb. 09 DMR. Additionally the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2009 sample results are shown.											


**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)**

<b>NAME:</b> XTO ENERGY, INC
<b>ADDRESS:</b> 52260 WIK RD KENAI, AK 99611
<b>FACILITY:</b> EAST FORELANDS
<b>LOCATION:</b> 60° 31' 10" N; 151° 20' 31" W

(2-16) AKG 31 5003	(17-19) 015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

MONITORING PERIOD							
FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2009	4	1		2009	4	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum	Units	Minimum	Average	Maximum	Units			
015 - Produced Water WET -	Sample Measurement	***	***	***	***	***	***	TUc	0	Semi Annual	Grab
	Permit Requirement	***	***		***	1209	2425		***	Semi Annual	Grab
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.							Telephone  907 776-2510	Date (YR/MO/DAY)  5/13/2009		
										Signature 	
<b>COMMENTS &amp; EXPLANATION OF ANY VIOLATIONS:</b> WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 1st Period 2009 WET tests were taken on 02/03/09 and are reported the Feb. 09 DMR. Additionally the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2009 sample results are shown.											